


Pratt 

Math 150 – Fall 2019
Algebra & Trigonometry
 Charles Rubenstein, Ph. D.
 Professor of Engineering & Information Science

Preface, Session 1: Monday 8/26/19
 6:30pm - 9:20pm
PMC402

Not Permitted in Class

Be sure to have all cellphones **OFF**

Copyright © 2019 C.P.Rubenstein 2

150-01 Class Seating Chart – Mondays

	S1	S2	S3	S4	S5	S6	S7	S8
R3					Alex			Joey
R2				Emanie	Atara	Matt		
R1								

MONDAY 6:30pm

Instructor

Copyright © 2019 C.P.Rubenstein 3

Instructor Contact Information

Dr. Charles Rubenstein <crubens@pratt.edu>
 Professor of Engineering & Information Science
Brooklyn Campus Faculty Office: ARC G-49
Pratt Manhattan Campus – PMC 402

Fall 2019 Office hours

- Mondays: 4:00-5:00pm ARC; 5:30-6:30pm PMC
- Tuesdays: 5:00-6:00pm ARC

*(*Please email me at least a day in advance if you plan on coming to office hours...)*

Send me an email ... crubens@pratt.edu
Subject line: 150 – or – Math

Copyright © 2019 C.P.Rubenstein 4

Who is Dr. Rubenstein ?

- Subject Background in
 - Bioengineering
 - Electrical Engineering
 - Systems Analysis
 - Information Science
- Certifications
 - Microsoft Trainer
 - CompTIA A+ Certified
- Professional Society Memberships
 - **ALISE (Member), IET (Fellow, Chartered Engineer)**
 - **IEEE (Senior Member) Member of the 2010-2011 Board of Directors of this 430,000 member professional engineering organization that produces more than one third of the world's electrotechnology information**



Copyright © 2019 C.P.Rubenstein 5

But... It's really all about ... You!

Your Pratt Education ... is founded on choices of

- Career
- Topics of Study
- Background

Copyright © 2019 C.P.Rubenstein 6


My Style of Teaching Math 150

Each class will consist of a mix of

- Lectures
- *In-class Review of Homework Assignments*
- *Small team problem solving*
- *Interactive Lectures = Class participation*

Copyright © 2019 C.P.Rubenstein 7

Pratt



Math 150

Charles Rubenstein, Ph. D.
Professor of Engineering & Information Science

Syllabus Review Algebra & Trigonometry

In Today's Class:

- *Download Textbook Chapter 1*
- *Review the Syllabus*
- *Review Course Schedule*
- *Textbook and Calculator needs*
- *Review of the Class Archive Concept (Homework online)*
- *Lecture and in-class problem solving*

For our next class – Session 2:

- *Begin readings, homework*
- **DUE: Homework Set #01**
- *Homework Review Set #01*

• **NOTE: Quiz #01 during class Session 3**

Copyright © 2019 C.P.Rubenstein 9

Math 150 – Class Topics

1. The Foundations of Algebra
2. Equations and Inequalities
3. Functions
4. Polynomial Functions
5. Rational Functions and Conic Sections
6. Exponential and Logarithmic Functions
7. The Trigonometric Functions
8. Analytic Trigonometry
9. Applications of Trigonometry
10. Systems of Equations and Inequalities
11. Matrices, Linear Systems, and Determinants
12. Topics in Algebra

Copyright © 2019 C.P.Rubenstein 10

Draft Schedule: Math 150 – Fall 2019 – PMC 402

Monday	Notes
26-Aug	1. Introduction: Numbers, Arithmetic Operations, Fractions
2-Sep	<i>Pratt Holiday - NO CLASSES - Labor Day</i>
9-Sep	2. Manipulation of Algebraic Expressions
16-Sep	3. Solving Linear and Quadratic Equations of One Variable (Q1)
23-Sep	4. Solving Equations of Two Variables (Q2)
30-Sep	<i>NO CLASSES - Instructor Holiday</i>
7-Oct	5. <i>1-hour in class Exam</i> ; Creating Equations – Polynomials (Q3)
14-Oct	6. Polynomial Functions, continued (Q4); <i>1st Exam Review</i>
21-Oct	7. Functions, Graphing, Exponents and Logarithms (Q5)
28-Oct	8. Trigonometric Functions, Pythagorean Theorem (Q6)
4-Nov	<i>CM/FM Seminar</i> / 9. Applications of Trigonometry (Q7)
11-Nov	10. Analytic Trigonometry, Identities, Graphing (Q8) <i>Take Home Exam</i>
18-Nov	11. Areas and Volumes of Geometric Solids (Q9) <i>2nd Exam Due</i>
25-Nov	12. Systems of Equations and Inequalities (Q10) <i>2nd Exam Review</i>
2-Dec	13. Series and Sequences, Review topics
9-Dec	<i>- Conflict Day - Final Examination (3-hour)</i>


Copyright © 2019 C.P.Rubenstein 11

Questions?

Copyright © 2019 C.P.Rubenstein 12

Recommended Textbook:

Pub Date: 2011
 Publisher: BVT Publishing
 ISBN: 978-1-60229-880-4
 (\$45.00)




College Algebra & Trigonometry
 Sixth Edition
 Michael Levitan, Bernard Kolman, and Arnold Shapiro

Copyright © 2019 C.P.Rubenstein 13

Recommended:

ANY Graphing Calculator
 (hp, TI, etc.)



Any graphing calculator may be used in this class
 I have a TI-83 Plus
 Mr. Ramus has loaner units if you don't want to buy one

Copyright © 2019 C.P.Rubenstein 14

Your Grade in Math 150

Homework Quizzes (25%)
Two Exams (40%)
Final Exam (30%)
Class Participation (5%)

Copyright © 2019 C.P.Rubenstein 15

About Homework Assignments

Homework is an essential part of this class. Doing the assignments will allow you to keep up with the class and your studies, BUT, Homework will NOT be collected.

There are TWELVE (12) Homework assignments.

There will be a **5 minute in class quiz** on the first ten (10) Homework assignments (worth 2.5% each)
ONE WEEK AFTER THEY ARE REVIEWED
 for a total of **25%** of your final grade.
There will be NO make up quizzes

Copyright © 2019 C.P.Rubenstein 16

About Your Exams

- Two (2) exams worth 20% and 15% each = **35%**
 (a one-hour in class exam and a two-hour take home exam - to make up for class schedule challenges)
- An in-class FINAL exam worth **35%**

These are Open Book exams
Formula will be provided, no need to memorize...
Examinations are designed to see what you have learned this semester as well as to see what you DIDN'T learn and prepare you for your next math class
There will be NO make up exams

Copyright © 2019 C.P.Rubenstein 17

All Materials are available on the Class Session Archive at:

www.CharlesRubenstein.com/150

Copyright © 2019 C.P.Rubenstein 18

www.CharlesRubenstein.com/150

- **syllabus.pdf** = Syllabus
= includes revised Class Schedule
- **Levitan6ed_ch1.pdf**
= 6th Edition Textbook's First Chapter
- **HWK1to6.pdf** = Homework Sets #01-#06
- **HWK7to12.pdf** = Homework Sets #07-#12
- **19fa01.pdf** = This slide set*
- **19fa01_h.pdf** = slide set as handouts*


**Available by Thursday evenings...*

Copyright © 2019 C.P.Rubenstein 19

Questions?

Copyright © 2019 C.P.Rubenstein 20

Pratt



Math 150
Charles Rubenstein, Ph. D.
Professor of Information Science

Chapter 1 – Part 1
Foundations of Algebra

Copyright © 2019 C.P.Rubenstein 21

On Memorization of Formulas

You are NOT required to memorize anything.

When we do the proof of the Pythagorean Theorem you should want to memorize it unless you are already able to write down an equivalent proof.

All exams will be open book, open notes.

You are responsible for writing all formulas and definitions (sine, cosine, and tangent) on a ***SINGLE sheet*** in your notebook if you do not have them memorized.


After seeing these formulas enough times, you'll quite likely unconsciously memorize them.

Copyright © 2019 C.P.Rubenstein 22

Chapter 1.1
The Real Number System

Copyright © 2019 C.P.Rubenstein 23

[http://mathworld.wolfram.com/
Polynomial.html](http://mathworld.wolfram.com/Polynomial.html)



At home, on your own, Google (etc.) the word:
polynomial
Or these others:
**algebraic expression,
or factoring**

Copyright © 2019 C.P.Rubenstein 24

Algebra

From Wikipedia:
 derived from an Arabic word **Al-Jabr**
 in the title of a treatise written in 820
 by the Persian mathematician,
 Muhammad bin Musa al-Khwarizmi

Copyright © 2019 C.P.Rubenstein 25

Let's take a look at some math theory...

Copyright © 2019 C.P.Rubenstein 26

Sets

Given that $A = \{4, 5, 6\}$ establishes a set of the three numbers 4, 5, and 6;

$4 \in A$ indicates 4 is in the set A
 $8 \notin A$ indicates 8 is **not** in the set A

Similarly, $B = \{\text{Exxon, Ford, Sony}\}$ yields

$\text{Ford} \in B$ indicating Ford is in the set B
 $8 \notin B$ indicating 8 is **not** in the set B


Copyright © 2019 C.P.Rubenstein 27

Rational & Irrational Numbers

- **Rational Numbers** are a ratio of two integers:
 p/q where $q \neq 0$
As $q = 1$ is rational, all integers are rational
 $1/2 = 0.500000 \dots$ $2/11 = 0.181818 \dots$
where the digit patterns repeat.
- **Irrational Numbers** – NOT a ratio of integers:
 $\pi = 3.141592654$ $\sqrt{2} = 1.414213562$
- **Real Numbers** = The set of all Rational and Irrational Numbers

Copyright © 2019 C.P.Rubenstein 28

Real Numbers {Rational, Irrational Numbers}



- **Rational Numbers: {Natural Numbers, Integers}**
 - Natural Numbers: 1, 2, 3, → Integers
 - The concept of 'Nothing' = 0
 - Negative Numbers: -1, -2, -3, etc.
 - The set of Integers: -2, -1, 0, 1, 2, 3, etc.
- **Irrational Numbers;** decimal numbers never repeating (π)

Copyright © 2019 C.P.Rubenstein 29

Graphing Calculator Alert

- **Rational Numbers:** Calculators display only a finite number of digits, therefore they may be **susceptible to rounding errors...**
 $(1/3 = 0.3333333333) \rightarrow$ Press: $[1][\div][3][=]$
- **Irrational Numbers:** Calculators display only a finite number of digits, therefore they provide a **rational decimal approximation** for any irrational numbers.
 $(\sqrt{2} = 1.414213562) \rightarrow$ Press $[\sqrt{)][(][2)][D)]][=]$

Copyright © 2019 C.P.Rubenstein 30

Questions?

Copyright © 2019 C.P.Rubenstein 31

About Real Numbers

- Properties of Real Numbers
- Properties of Equality
- Additional properties

Copyright © 2019 C.P.Rubenstein 32

Properties of Real Numbers - 1

Example	Algebraic Expression	Property
$3 + 4$ is a real number.	$a + b$ is a real number.	Closure under addition The sum of two real numbers is a real number.
$2 \cdot 5$ is a real number.	$a \cdot b$ is a real number.	Closure under multiplication The product of two real numbers is a real number.
$4 + 8 = 8 + 4$	$a + b = b + a$	Commutative under addition We may add real numbers in any order.
$3(5) = 5(3)$	$a(b) = b(a)$	Commutative under multiplication We may multiply real numbers in any order.
$(2 + 5) + 3 = 2 + (5 + 3)$	$(a + b) + c = a + (b + c)$	Associative under addition We may group the addition of real numbers in any order.
$(2 \cdot 5)3 = 2(5 \cdot 3)$	$(ab)c = a(bc)$	Associative under multiplication We may group the multiplication of real numbers in any order.
$4 + 0 = 4$	$a + 0 = a$	Additive identity The sum of the unique real number 0 and any real number leaves that number unchanged.

Copyright © 2019 C.P.Rubenstein 33

Properties of Real Numbers - 2

Example	Algebraic Expression	Property
$3(1) = 3$	$a(1) = a$	Multiplicative identity The product of the unique real number 1 and any real number leaves that number unchanged.
$5 + (-5) = 0$	$a + (-a) = 0$	Additive inverse The number $-a$ is called the negative, opposite, or additive inverse of a . If $-a$ is added to a , the result is the additive identity 0.
$7(\frac{1}{7}) = 1$	If $a \neq 0$, $a(\frac{1}{a}) = 1$	Multiplicative inverse The number $\frac{1}{a}$ is called the reciprocal, or multiplicative inverse, of a . If $\frac{1}{a}$ is multiplied by a , the result is the multiplicative identity 1.
$2(5 + 3) = (2 \cdot 5) + (2 \cdot 3)$ $(4 + 7)2 = (4 \cdot 2) + (7 \cdot 2)$	$a(b + c) = ab + ac$ $(a + b)c = ac + bc$	Distributive laws If one number multiplies the sum of two numbers, we may add the two numbers first and then perform the multiplication; or we may multiply each pair and then add the two products.

Copyright © 2019 C.P.Rubenstein 34

Properties of Equality

Example	Algebraic Expression	Property
$3 = 3$	$a = a$	Reflexive property
If $\frac{5}{3} = 2$ then $2 = \frac{5}{3}$.	If $a = b$ then $b = a$.	Symmetric property
If $\frac{5}{3} = 2$ and $2 = \frac{8}{4}$, then $\frac{5}{3} = \frac{8}{4}$.	If $a = b$ and $b = c$, then $a = c$.	Transitive property
If $\frac{5}{3} = 2$, then we may replace $\frac{5}{3}$ by 2 or we may replace 2 by $\frac{5}{3}$.	If $a = b$, then we may replace a by b or we may replace b by a .	Substitution property

Ten (10) Homework Assignment Quizzes (worth 2.5% each) for a total of 25% of your final grade...

PROOF:

$10x = 25; 25/10 = x; 2.5 = x$

Copyright © 2019 C.P.Rubenstein 35

Additional Properties

Example	Algebraic Expression	Property
If $\frac{5}{3} = 2$ then $\frac{5}{3} + 4 = 2 + 4$ $\frac{5}{3}(5) = 2(5)$	If $a = b$, then $a + c = b + c$ $ac = bc$	The same number may be added to both sides of an equation. Both sides of an equation may be multiplied by the same number.
If $\frac{5}{3} + 4 = 2 + 4$ then $\frac{5}{3} = 2$. If $\frac{5}{3}(5) = 2(5)$ then $\frac{5}{3} = 2$.	If $a + c = b + c$ then $a = b$. If $ac = bc$ with $c \neq 0$ then $a = b$.	Cancellation law of addition Cancellation law of multiplication
$2(0) = 0(2) = 0$ $2(3) = 0$ is impossible.	$a(0) = 0(a) = 0$ If $ab = 0$ then $a = 0$ or $b = 0$.	The product of two real numbers can be zero only if one of them is zero. The real numbers a and b are said to be factors of the product ab .
$-(-3) = 3$ $(-2)(3) = 2(-3) = -6$ $(-1)(3) = -3$ $(-2)(-3) = 6$ $(-2) + (-3) = -(2 + 3) = -5$	$-(-a) = a$ $(-a)(b) = (a)(-b) = -(ab)$ $(-1)(a) = -a$ $(-a)(-b) = ab$ $(-a) + (-b) = -(a + b)$	Rules of signs

Copyright © 2019 C.P.Rubenstein 36

Algebra is all about solving problems...

- **Given a set of plans:** How much lumber, paint, etc, will be used to build something.
- **Combined with physics:** Calculation of stresses and strains in building elements; deflections of beams, plates, etc.
- **Creating computer graphics:** algebra & trigonometry are needed to rotate a perspective rendition of an scene on the screen. Every line must be recalculated and hidden portions of lines must be found, erased.
- **With calculus** (a continuation of algebra) used throughout science, engineering, and the financial industry...

Copyright © 2019 C.P.Rubenstein

37

Algebra is *symbolic math*

Q1. A car travels 2 hours in the morning and then another 3 hours in the afternoon.

How long was the trip?

Q2. You have 2 apples in your cart and put another 3 in it. How many apples do you have?

Ans: Both problems can be represented as:

$$2x + 3x = 5x$$

where x is a *symbol* rather than an *actual unit*.

Copyright © 2019 C.P.Rubenstein

38

Equations are “sentences”

The numerical value of an expression on the left side of the equal sign is equal to the numerical value of the expression on the right side.

Examples : $x + 3 = 7$

x must have the value 4 to satisfy this equation containing one unknown.

$$2x + 3y = 10$$

Many different x, y pairs can satisfy equations containing two unknowns

Copyright © 2019 C.P.Rubenstein

39

Main Goal of this Course

Learn to solve practical problems

by

creating

and then solving

an appropriate algebraic equation.

Copyright © 2019 C.P.Rubenstein

40

Questions?

Copyright © 2019 C.P.Rubenstein

41

In Class Assignments

- Work in teams of **two**
 - You do the first problem; your partner checks it; your partner does the next and so on
In small classes, you will work individually...
 - Ask questions if you get stuck
 - Sometimes, but not always, there are several correct methods to arrive at the correct answer.
- One method that is NOT is:**
Looking up the answer in the answer key...

Copyright © 2019 C.P.Rubenstein

42

Quick Problems

Version 1.

You bought a new car after the dealer lowered the original price by 17%. You paid \$21,000.

Calculate the original price.

You have 10 minutes to solve this problem

Copyright © 2019 C.P.Rubenstein

43

Quick Problems - Ans

Version 1.

*... dealer lowered the original price by 17% ,
You paid \$21,000.*

Calculate the original price.

$$x(1 - 0.17) = 21000$$

$$21000 \div (1 - 0.17) = x$$

$$x = \$25,301.20$$

Copyright © 2019 C.P.Rubenstein

44

Quick Problems

Version 2.

You bought a new car on sale. You paid \$21,000 - which was 83% of the original price. Calculate the original price.

You have 5 minutes to solve this problem

Copyright © 2019 C.P.Rubenstein

45

Quick Problems - Ans

Version 2.

*... paid \$21,000 = 83% of the original price.
Calculate the original price.*

$$0.83x = 21000$$

$$x = 21000 \div 0.83$$

$$x = \$25,301.20$$

(This is just another way to state this problem...)

Copyright © 2019 C.P.Rubenstein

46

Quick Problems

Question: On sale for 80% of its original price, a car cost \$19,000. What was the original price?

You have 5 minutes to solve this problem

Copyright © 2019 C.P.Rubenstein

47

Quick Problems - Ans

... 80% of its original price = \$19,000. What was the original price?

Answer: Let P represent the original price, the "unknown".

We are given that 80% of P is 19000.

We can write this immediately as an algebraic equation ("sentence"), $0.8P = 19000$

Solve for P by dividing each side of the equation by 0.8, so:

$$P = 19000 \div 0.8 = 23750$$

Copyright © 2019 C.P.Rubenstein

48

Quick Problems

Question: A car is on sale for 80% of its original price of \$20,000. What is the sale price?

You have 5 minutes to solve this problem

Copyright © 2019 C.P.Rubenstein

49

Quick Problems - ANS

...on sale for 80% of \$20,000.

What is the selling price?

$$P = 20,000 (0.80)$$

$$P = \$16,000$$

Copyright © 2019 C.P.Rubenstein

50

Quick Problems

- If the width of a rectangle is reduced by 10% and the height is increased by 10%, how much is the new area in terms of the old area?

You have 10 minutes to solve this problem

Copyright © 2019 C.P.Rubenstein

51

Quick Problems - ANS

- *If the width of a rectangle is reduced by 10% and the height is increased by 10%, how much is the new area in terms of the old area?*

$$A_0 = w \cdot h; \quad A_1 = [(1-.1)(w)] [(1+.1)(h)]$$

$$A_1 = (0.9)(1.1)wh = 0.99wh$$

$$A_1 / A_0 = [0.99(wh)] / (wh) = 99\%$$

Copyright © 2019 C.P.Rubenstein

52

Quick Problems

- Suppose we have a 20 ft rope that we want to cut into $3/4$ ft pieces. How many pieces will this rope yield? If there is one, how long is the fractional piece?

You have 10 minutes to solve this problem

Copyright © 2019 C.P.Rubenstein

53

Quick Problems - ANS

... a 20 ft rope (is) cut into $3/4$ ft pieces.

How many pieces will this rope yield?

$$20 / (3/4) = 26 \frac{2}{3} \text{ pieces}$$

... How long is the fractional piece?


$$(2/3)(3/4) = (2 \cdot 3 / 3 \cdot 4) = 6/12 = \frac{1}{2} \text{ foot long}$$

Copyright © 2019 C.P.Rubenstein

54

Chapter 1 - Page 12, Problem 59

59. A board 10 feet long is cut into two pieces, the lengths of which are in the ratio of 2:3. Find the lengths of the pieces.



You have 5 minutes to solve this problem

Copyright © 2019 C.P.Rubenstein

55

Ch1, Pg 12, Problem 59 - Ans

59. A board 10 feet long is cut into two pieces, the lengths of which are in the ratio of 2:3. Find the lengths of the pieces.

Ans: Ratio of 2:3 means the Boards are $2x$, $3x$ long

Equations: $2x + 3x = 10$; $5x = 10$; $x = 2$


Smaller Board: $2(2 \text{ feet long}) = 4 \text{ feet long}$

Larger Board: $3(2 \text{ feet long}) = 6 \text{ feet long}$

Final Answer: 4 feet long and 6 feet long*

(*) Note that units **MUST** always be included in your final answer...

(A ratio of 1:2 would yield 3.33 ft; 6.67 ft)




Copyright © 2019 C.P.Rubenstein

56

Chapter 1 - Page 12, Problem 60

60. An alloy is $\frac{3}{8}$ copper, $\frac{5}{12}$ zinc, and the balance lead. How much lead is there in 282 pounds of alloy?



Copyright © 2019 C.P.Rubenstein

57

Ch1, Pg12, Problem 60 - Ans

60. An alloy is $\frac{3}{8}$ copper, $\frac{5}{12}$ zinc, and the balance lead. How much lead is there in 282 pounds of alloy?

Ans. Equation is: $(\frac{3}{8} + \frac{5}{12}) + x = 1$

a. $\frac{3}{8} \cdot 3 \rightarrow \frac{9}{24}$ and $\frac{5}{12} \cdot 2 \rightarrow \frac{10}{24}$

thus, $\frac{19}{24} + x = 1$ and $x_{\text{lead}} = \frac{5}{24} = 0.208^*$


b. $282 \text{ lbs} \cdot 0.208 = 58.656 \text{ lbs lead in the alloy}$

Final Answer: 58.656 pounds

*Using a calculator to find decimals and not using conversion to the lowest common denominator:
 $(0.375 + 0.417) = 0.792$ and thus, again $x_{\text{lead}} = 0.208$

NOTE:

We will review this problem and the challenges of rounding errors next class...



Copyright © 2019 C.P.Rubenstein

58

Questions?

Copyright © 2019 C.P.Rubenstein

59

Homework Assignment Set #1

Section 1.1 (The Real Number System)

- pages 10-11 (page 9 in 5th Ed):

Problems 9 through 18

Problem 19 (Hint: If you are stuck, Google on "sum of two irrational")

Problems 20, 23, 24, 28, 35

Problem 38 (Also find values for a and b for which the statement is true.)

Problems 40, 53, 54, 55, 57, 58, 61, 62

NOTE: The online homework pdf has the full actual problems written out...

Copyright © 2019 C.P.Rubenstein

60

Due Next Classes:

*NOTE: Next Monday is Labor Day
Pratt Holiday! No Classes!*

In Session 2:

- **DUE:** Textbook readings
- **DUE:** Homework Set #01
- **REVIEW:** Homework Set #01

Due – Session 3:

- *Nomenclature, Notes*
- *Lecture and Problem Review*
- *Due Homework Set #02*
- **REVIEW:** Homework Set #02
- **QUIZ:** Homework Set #01

Copyright © 2019 C.P.Rubenstein 61

Any Questions?
Send me an email ...

crubent@pratt.edu
or
c.rubenstein@ieee.org

Copyright © 2019 C.P.Rubenstein 62

End

Copyright © 2019 C.P.Rubenstein 63